

FLEX
Workstation Series
2022 Catalogue

apêx





Flex

Flex Series is a reliable health guardian, reminding you to alternate sitting and standing and to cultivate a healthy work habit. Involvement, energy and participation are enhanced when you change your body position frequently.

Single Desk



FLEX Single Desk Range

The Single Table provides sufficient space for an individual to keep all of their essentials in one location while also encouraging healthy work habits.

Selection



Digital Motor



Hand Crank

Double Bench Desk



FLEX Double Bench Range

A double bench desk is an excellent solution for offices with limited space because it creates a more attractive and organized area while also encouraging teamwork due to coworkers' proximity.

Selection



Digital Motor



Hand Crank

L-Shape Desk



FLEX L-Shape Range

The L-shape desk provides more workspace while taking up less space. Unlike traditional tables, the innovative design enables its surfaces to be reachable.

Selection



Digital Motor



Hand Crank

Features

Single Front Panel Range

Lightweight and vibrant to create sufficient separation around the workplace for some much-needed space and self-privacy.



Modesty Range

Protecting your privacy at work is critical for maintaining complete focus on your tasks and, more importantly, for increasing productivity.




Clamp Netbox

Organizing your cables in a single location may help foster a sense of harmony in your workspace, whereas a disorganized one may increase stress or anxiety.



In-Desk Netbox

Avoid bending down all the time to plug in your wires when you have an in-desk netbox for your electronics.



Wireless Charger

Wireless charging eliminates the need for phone cables, allowing for a cable-free workspace in the future.



Trunking Plate

The Trunking Plate protects and conceals your cables, preventing workplace hazards and providing a more organized appearance.



Cable Tray

Concealing your netbox within the table with the cable tray can help you stay organized in the workplace by avoiding wire clutter.



Wire Casing

By organizing and concealing cables from the outside world, the Wire Casing protects your workplace from hazards.



Single Desk



Motor
WK-FLEX-SD12-D
 1200W/740D/
 580-1220H mm

WK-FLEX-SD15-D
 1500W/740D/
 580-1220H mm

WK-FLEX-SD18-D
 1800W/740D/
 580-1220H mm

Hand Crank
WK-FLEX-SD12-H
 1200W/740D/
 580-1220H mm

WK-FLEX-SD15-H
 1500W/740D/
 580-1220H mm

WK-FLEX-SD18-H
 1800W/740D/
 580-1220H mm

Double Bench



Motor
WK-FLEX-DB12-D
 1200W/740D/
 580-1220H mm

WK-FLEX-DB15-D
 1500W/740D/
 580-1220H mm

WK-FLEX-DB18-D
 1800W/740D/
 580-1220H mm

Hand Crank
WK-FLEX-DB12-H
 1200W/740D/
 580-1220H mm

WK-FLEX-DB15-H
 1500W/740D/
 580-1220H mm

WK-FLEX-DB18-H
 1800W/740D/
 580-1220H mm

L-Shape Desk



Motor
WK-FLEX-L15-T
 1200W/1200D/
 760H mm

WK-FLEX-L18-T
 1500W/1200D/
 760H mm

Hand Crank
WK-FLEX-L15-H
 1200W/1480D/
 760H mm

WK-FLEX-L18-H
 1500W/1480D/
 760H mm

Partition Range

850mm for Double Bench Desk (W/o Bracket)



Standard 850H
Chipboard
W-SC-CB120X85
 1150W/850H/
 18THK mm

W-SC-CB150X85
 1450W/850H/
 18THK mm

W-SC-CB180X85
 1750W/850H/
 18THK mm


Standard 850H
Fabric
P-SC-CB120X85
 550W/700H/
 18THK mm

P-SC-CB150X85
 690W/700H/
 18THK mm

P-SC-CB180X85
 850W/700H/
 18THK mm

Partition Range

850mm for Single Desk (C/w Leg Bracket)



Standard 850H
3-Column Chipboard
W-SC-CB120X85-BR1
 1150W/850H/
 18THK mm


W-SC-CB150X85-BR1
 1450W/850H/
 18THK mm

W-SC-CB180X85-BR1
 1750W/850H/
 18THK mm

Standard 850H
3-Column Fabric
P-SC-CB120X85-BR1
 1150W/850H/
 18THK mm

P-SC-CB150X85-BR1
 1450W/850H/
 18THK mm

P-SC-CB180X85-BR1
 1750W/850H/
 18THK mm

850mm for L-Shape Desk
(C/w Leg Bracket)

Standard 850H
3-Column Chipboard
W-SC-CB120X85-BR1L
 1150W/850H/
 18THK mm

W-SC-CB150X85-BR1L
 1450W/850H/
 18THK mm

W-SC-CB180X85-BR1L
 1750W/850H/
 18THK mm


Standard 850H
3-Column Fabric
P-SC-CB120X85-BR1L
 1150W/850H/
 18THK mm

P-SC-CB150X85-BR1L
 1450W/850H/
 18THK mm

P-SC-CB180X85-BR1L
 1750W/850H/
 18THK mm

Partition Range

500mm & 700mm (C/w F-Bracket)

**Standard 500H****Chipboard****W-SC-CB120X50F**

1150W/500H/

18THK mm

W-SC-CB150X50F

1450W/500H/

18THK mm

W-SC-CB180X50F

1750W/500H/

18THK mm

Fabric**P-SC-FA120X50F**

1150W/500H/

18THK mm

P-SC-FA150X50F

1450W/500H/

18THK mm

P-SC-FA180X50F

1750W/500H/

18THK mm

Standard 700H**Chipboard****W-SC-CB120X70F**

1150W/700H/

18THK mm

W-SC-CB150X70F

1450W/700H/

18THK mm

W-SC-CB180X70F

1750W/700H/

18THK mm

Fabric**P-SC-FA120X70F**

1150W/700H/

18THK mm

P-SC-FA150X70F

1450W/700H/


18THK mm

P-SC-FA180X70F

1750W/700H/

18THK mm

300mm (C/w L-Bracket)

**Standard 300H****Chipboard****W-SC-CB60X30L**

550W/300H/

18THK mm

W-SC-CB74X30L

690W/300H/

18THK mm

W-SC-CB90X30L

850W/300H/

18THK mm

W-SC-CB120X30L

1150W/300H/

18THK mm

W-SC-CB150X30L

1450W/300H/

18THK mm

W-SC-CB180X30L

1750W/300H/

18THK mm

Fabric**P-SC-CB60X30L**

550W/300H/

18THK mm

P-SC-CB74X30L

690W/300H/

18THK mm

P-SC-CB90X30L

850W/300H/

18THK mm

P-SC-CB120X30L

1150W/300H/

18THK mm

P-SC-CB150X30L

1450W/300H/

18THK mm

P-SC-CB180X30L

1750W/300H/

18THK mm

Standard 500H**Chipboard****W-SC-CB60X50L**

550W/500H/

18THK mm

W-SC-CB74X50L

690W/500H/

18THK mm

W-SC-CB90X50L

850W/500H/

18THK mm

W-SC-CB120X50L

1150W/500H/

18THK mm

W-SC-CB150X50L

1450W/500H/

18THK mm

W-SC-CB180X50L

1750W/500H/

18THK mm

Fabric**P-SC-CB60X50L**

550W/500H/

18THK mm

P-SC-CB74X50L

690W/500H/

18THK mm

P-SC-CB90X50L

850W/500H/

18THK mm

P-SC-CB120X50L

1150W/500H/

18THK mm

P-SC-CB150X50L

1450W/500H/

18THK mm


P-SC-CB180X50L

1750W/500H/

18THK mm

Modesty Range

Trapezium (C/w L-Bracket)

**Chipboard**

W-MTR-CB120X48L
1050W/480H/
18THK mm

W-MTR-CB150X48L
1350W/480H/
18THK mm

W-MTR-CB180X48L
1650W/480H/
18THK mm

Fabric

P-MTR-CB120X48L
1050W/480H/
18THK mm

P-MTR-CB150X48L
1350W/480H/
18THK mm

P-MTR-CB180X48L
1650W/480H/
18THK mm

Rectangle (C/w L-Bracket)

**Chipboard**

W-MRC-CB120X48L
1050W/480H/
18THK mm

W-MRC-CB150X48L
1350W/480H/
18THK mm

W-MRC-CB180X48L
1650W/480H/
18THK mm

Fabric

P-MRC-CB120X48L
1050W/480H/
18THK mm

P-MRC-CB150X48L
1350W/480H/
18THK mm

P-MRC-CB180X48L
1650W/480H/
18THK mm

Electronics Range

Clamp Netbox

**WK-CNB-3P**

Anthena netbox with
3P x 13a Socket (Nk Series)

**WK-CNB-2PO**

Anthena netbox with
2P x 13a Socket (Nk Series)
and 1O x Data Outlet RJ45

**WK-CNB-3PO**

Anthena netbox with
3P x 13a Socket (Nk Series)
and 1O x Data Outlet RJ45

**WK-CNB-4PU**

Anthena netbox with
4P x 13a Socket (Nk Series)
1U x Data USB

**WK-CNB-3PUO**

Anthena netbox with
3P x 13a Socket (Nk Series)
1U x Data USB, 10 x Data
Outlet RJ45

**WK-CNB-2PU**

Anthena netbox with
2P x 13a Socket (Nk Series)
and 1U x Data USB

**WK-CNB-3PU**

Anthena netbox with
3P x 13a Socket (Nk Series)
and 1U x Data USB

**WK-CNB-2PUO**


Anthena netbox with
2P x 13a Socket (Nk Series)
1U x Data USB, 10 x Data
Outlet RJ45

**WK-CNB-4PO**

Anthena netbox with
4P x 13a Socket (Nk Series)
and 1O x Data Outlet RJ45

Wire Management Range


Cable Tray

**Non-Adjustable****TR-CT100**

960 x 150 x 100 mm
Available for table top size 1200-1400mm
Applicable: Single Desk / L-shape Desk

TR-CT112

1200 x 150 x 100 mm
Available for table top size 1400-1800mm
Applicable: Single Desk

**Adjustable****TR-F-CT113**

1000-1600 x 156 x 90 mm
Available for table top size 1200-1800mm
Applicable: Double Bench Desk

Wire Casing

**Wire Casing Premium****WK-WC1**

1200 mm length
Smooth and 2 way flexible
movements

**Wire Casing Standard****TR-WC2**

1000 mm length
1 way flexible movement

●	Applicable
✕	Not Applicable

Accessories Applicable with Adjustable Single desk

	NETBOX			CABLE TRAY		PARTITION AND MODESTY					WIRE CASING	
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty	Premium	Standard
												
1200W	●	x	x	x	x	x	●	x	x	x	x	x
1500W	●	x	x	x	x	x	●	●	●	●	●	●
1800W	●	x	x	x	x	x	●	●	●	●	●	●

*for size 1200W only can match clamp netbox with 850mm partition with leg bracket (BR1 & BR2)

*for size 1500W & 1800W can match with clamp netbox (position need to place at side table top either right or left side) if use with 500 & 700mm partition with F-bracket and 300mm with L-bracket

*Can match 300mm c/w L-bracket with modesty

*For Clamp netbox no need cable tray

Accessories Applicable with Adjustable Single desk

	NETBOX			CABLE TRAY		PARTITION AND MODESTY					WIRE CASING	
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty	Premium	Standard
												
1200W	x	●	●	x	●	x	●	●	●	●	●	●
1500W	x	●	●	x	●	x	●	●	●	●	●	●
1800W	x	●	●	x	●	x	●	●	●	●	●	●

*Best wire solution if come with cable tray (non-adjustable) to hide the wire (In-desk netbox) and put power plug point in cable tray (flipper casing)

*Cable tray Applicable

TR-CT100

Available for table top size 1200-1400mm

TR-CT112

Available for table top size 1400-1800mm

*Can match 300mm c/w L-bracket with modesty

Accessories Applicable with Adjustable L-Shape desk

	NETBOX			CABLE TRAY		PARTITION AND MODESTY					WIRE CASING	
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty	Premium	Standard
												
1500W	●	x	x	x	x	x	●	●	●	●	●	●
1800W	●	x	x	x	x	x	●	●	●	●	●	●

*Camp netbox need to be placed at extension table top

*If the table match with clamp netbox, the extension table cannot be place any partition on it.

*Can match 300mm c/w L-bracket with modesty

*For Clamp netbox no need cable tray

●	Applicable
✕	Not Applicable

Accessories Applicable with Adjustable L-Shape desk

	NETBOX			CABLE TRAY		PARTITION AND MODESTY					WIRE CASING	
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty	Premium	Standard
												
1500W	x	●	●	x	●	x	●	●	●	●	●	●
1800W	x	●	●	x	●	x	●	●	●	●	●	●

*All netbox and Flipper casing need to be placed at extension table top

*If the table match with In-desk netbox and Flipper casing, the extension table can be place partition 300mm c/w L-bracket

*Can match 300mm c/w L-bracket with modesty

*Best wire solution if come with cable tray (non-adjustable) to hide the wire (In-desk netbox) and put power plug point in cable tray (flipper casing)

*Cable tray Applicable

TR-CT100

Available for table top size 1200-1800mm

Accessories Applicable with Adjustable Double bench

	NETBOX			CABLE TRAY		PARTITION AND MODESTY					WIRE CASING	
	Clamp netbox	In-desk netbox	Flipper casing	wire tray adjustable	wire tray non-adjustable	850mm w/o Bracket	850mm c/w Leg Bracket	500 & 700 mm c/w F - Bracket	300mm c/w L - Bracket	Modesty	Premium	Standard
												
1200W	●	●	●	●	x	●	x	x	x	x	●	x
1500W	●	●	●	●	x	●	x	x	x	x	●	x
1800W	●	●	●	●	x	●	x	x	x	x	●	x


Colours

Table Top Chipboard

Wood Grain Colour



Solid Colour




Edging Colour Option



Leg

Powder Coated Steel Colour




Partition & Modesty


Wood Grain Colour



Solid Colour



Fabric Colour



APEX Office Furniture Exporter Sdn. Bhd. (591294-V)

728 & 730 Batu 4 ½ Jalan Ipoh,

51200 Kuala Lumpur,

Malaysia.

T +603-9779 7880

F +603-6251 7254

sales@apexof.com.my