

S-System
Panel Series
2022 Catalogue

apêx



S-System

The S-System is a flexible design and interactive concept. Professional yet open, people can feel much freer in a democratic space and engage with one another for a more commune working experience.



2 Seater Workstation

Link



Concept 1

Feature



Hanging Bookshelf


15kg- the mininum loadit can support.



Power Source

15kg- the mininum loadit can support.

Technical Specification



2 Seater
Concept 1

PT-FFOT-135x80

FULL FABRIC W/O TRUNKING
1350H/1500W mm
2 nos

PT-CP120

CORNER POST
1200H mm
2 nos

PT-EP120

END POST
1200H mm
2 nos

WK-MLS15

MCAB SINGLE SEATER TABLE
C/W GROMMET
1500W/600D x 1500W/600D x
760H mm
2 nos

PT-FFOT-120x150

FULL FABRIC W/O TRUNKING
1200H/1500W mm
2 nos

PT-JP135

JOINT POST
1350H mm
1 nos

PT-CUS-EP

END POST
1500H mm
2 nos

WK-M-3D

MCAB 3 DRAWER MOBILE
425W x 490D x 540H mm
2 nos

PT-HGCT-120x75

HALF GLASS CENTRE TRUNKING
1200H/750W mm
4 nos

PT-JP120

JOINT POST
1200H mm
4 nos

WK-HB-80

HANGING BOOKSHELF
785W x 320D x 240H mm
2 nos

WK-M-16M-8D

MCAB 1600W COMBI STORAGE
1600W x 450D x 760H mm
1 nos

2 Seater Workstation



Concept 2

Feature




Power Source
15kg- the mininum loadit can support.



Glass Panel
15kg- the mininum loadit can support.

Technical Specification



Link

2 Seater
Concept 2

PT-FFOT-135x90 FULL FABRIC W/O TRUNKING 1350H x 900W mm 2 nos	PT-FFOT-135x45 FULL FABRIC W/O TRUNKING 1350H x 450W mm 2 nos	PT-HGCT-120x150 HALF GLASS C/W CENTRE TRUNKING 1200H x 1500W mm 2 nos
PT-HGCT-120x75 HALF GLASS C/W CENTRE TRUNKING 1350H x 750W mm 2 nos	PT-FGOT-120X90 FULL GLASS W/O TRUNKING 1200H x 900W mm 2 nos	PT-CP135 CORNER POST 1350H mm 2 nos
PT-TP120 TEE POST 1200H mm 1 no	PT-JP120 JOIN POST 1200H mm 5 nos	PT-EP120 END POST 1200H mm 3 nos
PT-CUS-EP END POST 150H mm 4 nos	WK-CCW-150x60 CURVE CORNER WORKTOP 1500W/600D x 1500W/600D x 25THK mm 2 nos	WK-ML-M3D MOBILE 3 DRAWER 425W x 490D x 540H mm 2 nos
WK-ML-130-D2 SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm 2 nos	RD-02 (R) TABLE LEG 2 nos	RD-02 (L) TABLE LEG 2 nos
PT-BK-02-F LEFT BRACKET (BIG) 1 no	PT-BK-02-F RIGHT BRACKET (BIG) 1 no	

4 Seater Workstation



Concept 1

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

4 Seater
Concept 1

PT-FFDT-135x75 FULL FABRIC C/W DOUBLE TRUNKING 1350H x 750W mm 2 nos	PT-FFOT-105x150 FULL FABRIC W/O TRUNKING 1050H x 1500W mm 1 no	PT-HGDT-135x75 HALF GLASS C/W DOUBLE TRUNKING 1350H x 750W mm 2 nos
PT-HGDT-135x45 HALF GLASS C/W DOUBLE TRUNKING 1350H x 450W mm 2 nos	PT-HGOT-120x150 HALF GLASS W/O TRUNKING 1200H x 1500W mm 2 nos	PT-TP135 TEE POST 1350H mm 1 no
PT-CP120 CORNER POST 1200H mm 2 nos	PT-JP135 JOINT POST 1350H mm 4 nos	PT-EP120 END POST 1200H mm 2 nos
PT-105 END POST 1050H mm 1 no	PT-CUS-EP END POST 300H mm 1 no	PT-CUS-EP END POST 150H mm 2 nos
WK-HB75 HANGING BOOKSHELF 735W x 320D x 240H mm 4 nos	WK-M-15(P) MCAB STANDARD DESK WITH ALUMINIUM PROFILE 1500W x 740D x 760H mm 2 nos	WK-M-LS15 MCAB SINGLE SEATER TABLE C/W GROMMET 1500W/600D x 1500W/600D x 760H mm 2 nos
WK-M-16S-BEF MCAB 1600W COMBI 1600W x 450D x 650H mm 2 nos	WK-M-3D MCAB 3 DRAWER MOBILE 425W x 490D x 540H mm 2 nos	

4 Seater Workstation



Concept 2

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

4 Seater
Concept 2

PT-FFCT-165x75 FULL FABRIC C/W CENTER TRUNKING 1650H x 750W mm 4 nos	PT-HGCT-135x150 HALF GLASS C/W CENTER TRUNKING 1350H x 1500W mm 4 nos	PT-HGCT-135x60 HALF GLASS C/W CENTER TRUNKING 1350H x 1500W mm 2 nos
PT-HGCT-135x75 HALF GLASS C/W CENTER TRUNKING 1350H x 750W mm 1 no	PT-TP135 TEE POST 1350H mm 1 no	PT-TP165 TEE POST 1650H mm 1 no
PT-SP135 SQUARE POST 1350H mm 1 no	PT-JP165 JOINT POST 1650H mm 2 nos	PT-JP135 JOINT POST 1350H mm 1 no
PT-EP135 END POST 1350H mm 4 nos	PT-EP165 END POST 1650H mm 2 nos	PT-CUS-EP END POST 300H mm 1 no
WK-HB75 HANGING BOOKSHELF 735W x 320D x 340H mm 6 nos	WK-CCW150x60 CURVE CORNER WORKTOP 1500W/600D x 1500W/600D x 25THK mm 4 nos	WK-ML-M3D MOBILE 3 DRAWER 425W x 490D x 760H mm 4 nos
WK-ML-76-D2 SLIDING DOOR CABINET 750W x 450D x 760H mm 5 nos	RD-02(L) TABLE LEG 3 nos	RD-02(R) TABLE LEG 3 nos
PT-BK-01-F LEFT BRACKET (BIG) 3 nos	PT-BK-02-F RIGHT BRACKET (BIG) 3 nos	PT-BK-03-F LEFT BRACKET (SMALL) 1 nos
PT-BK-04-F RIGHT BRACKET (SMALL) 1 nos		

Administrator Workstation



Concept 1

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

Administrator
Concept 1

PT-HGCT-120x75 HALF GLASS C/W CENTER TRUNKING 1200H x 750W mm 11 nos	PT-FFCT-180x75 FULL FABRIC C/W CENTER TRUNKING 1800H x 750W mm 2 nos	PT-FFCT-180x80 FULL FABRIC C/W CENTER TRUNKING 1800H x 800W mm 1 no
PT-EP120 END POST 1200H mm 3 nos	PT-CUS-EP END POST 600H mm 2 nos	PT-JP120 JOINT POST 1200H mm 7 nos
PT-JP180 JOINT POST 1800H mm 2 nos	PT-TP120 TEE POST 1200H mm 1 no	PT-CP120 CORNER POST 1200H mm 2 nos
WK-HC75(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 735W x 355D x 445H mm 2 nos	WK-HC80(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 785W x 355D x 445H mm 1 no	WK-HB75 HANGING BOOKSHELF WITH SOFT CLOSING 735W x 355D x 445H mm 2 nos
WK-M-LS15 MCAB SINGLE SEATER TABLE C/W GROMMET 1500W/600D x 1500W x 600D mm 2 nos	WK-DIC-01-S MCAB SQUARE DISCUSSION TABLE 900W x 900D x 760D mm 1 no	WK-M-8M-A MCAB SWING STORAGE 800W x 450D x 760H mm 1 no
WK-M-3D MCAB DRAWER MOBILE 480W x 450D x 650H mm 2 nos		

Administrator Workstation



Concept 2

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

Administrator
Concept 2

PT-HGCT-120x80 HALF GLASS C/W CENTER TRUNKING 1200H x 800W mm 9 nos	PT-FFCT-180x80 FULL FABRIC C/W CENTER TRUNKING 1800H x 800W mm 6 nos	PT-HGCT-180x80 HALF GLASS C/W CENTER TRUNKING 1800H x 800W mm 2 nos
PT-FGOT-120x80 FULL GLASS WITHOUT TRUNKING 1200H x 800W mm 1 no	PT-FGOT-180x80 FULL GLASS WITHOUT TRUNKING 1800H x 800W mm 3 nos	PT-EP120 END POST 1200H mm 2 nos
PT-CUS-EP END POST 600H mm 3 nos	PT-EP180 END POST 1800H mm 1 no	PT-JP120 JOINT POST 1200H mm 7 nos
PT-TP120 TEE POST 1200H mm 1 no	PT-CP120 CORNER POST 1200H mm 2 nos	PT-CP180 CORNER POST 1200H mm 2 nos
WK-HC80(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 785W x 355D x 445H mm 5 nos	WK-HB80 HANGING BOOKSHELF WITH SOFT CLOSING 785W x 355D x 445H mm 3 nos	WK-M15-2S (P) MCAB 2 SEATER WITH ALUMINIUM PROFILE 1500W x 1480D x 760H mm 1 no
WK-M-18 (F) MCAB STANDARD DESK WITH FLIPPER CASING 1800W x 740D x 760H mm 1 no	PT-M-PAR15 (P) A25 PARTITION 1350H x 300H mm 1 no	WK-M-16S-AD MCAB 1600W COMBI STORAGE SLIDING + HALF SWING 1600W x 450D x 760H mm 1 no
WK-M-3D MCAB DRAWER MOBILE 480W x 450D x 650H mm 2 nos		

Executive Workstation



Concept 1

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

Executive
Concept 1

PT-FFDT-180x45 FULL FABRIC C/W DOUBLE TRUNKING 1800H x 450W mm 1 no	PT-FFDT-180x90 FULL FABRIC C/W DOUBLE TRUNKING 1800H x 900W mm 2 nos	PT-FFDT-180x75 FULL FABRIC C/W DOUBLE TRUNKING 1800H x 750W mm 1 no
PT-HGDT-180x90 HALF GLASS C/W DOUBLE TRUNKING 1800H x 900W mm 1 no	PT-HGDT-135x45 HALF GLASS C/W DOUBLE TRUNKING 1350H x 450W mm 3 nos	PT-FGOT-135x90 FULL GLASS W/O TRUNKING 1350H x 900W mm 1 no
PT-FGOT-135x45 FULL GLASS W/O TRUNKING 1350H x 450W mm 1 no	PT-CP135 CORNER POST 1350H mm 1 no	PT-JP135 JOINT POST 1350H mm 2 nos
PT-JP180 JOINT POST 1800H mm 4 nos	PT-EP135 END POST 1350H mm 1 no	PT-EP180 END POST 1800H mm 1 no
WK-WT-90x45 STRAIGHT WORKTOP 900W x 450D mm 2 nos	WK-HC90(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 885W x 355D x 445H mm 2 nos	WK-HC75(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 735W x 355D x 445H mm 1 no
WK-HB90 HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 885W x 320D x 240H mm 1 no	WK-M-EXEC-18(T) MCAB EXECUTIVE TABLE WITH LARGE FLIPER CASING 1600W x 450D x 760H mm 1 no	WK-M-16M-BD MCAB 1600W COMBINATION STORAGE SLIDING + HALF SWING 1600W x 450D x 760H mm 1 no
WK-M-8L-B MCAB 1300H STORAGE (SLIDING) 800W x 450D x 1300H mm 1 no	WK-M-H3D MCAB 3 DRAWER HIGH MOBILE 425W x 490D x 650H mm 1 no	

Executive Workstation



Concept 1

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

Executive
Concept 2

PT-FFCT-180x90 FULL FABRIC C/W CENTER TRUNKING 1800H x 900W mm 3 nos	PT-HGDT-135x45 HALF GLASS C/W DOUBLE TRUNKING 1350H x 450W mm 2 nos	PT-HGOT-135x45 HALF GLASS W/O TRUNKING 1350H x 450W mm 1 no
PT-HGDT-135x90 HALF GLASS C/W DOUBLE TRUNKING 1350H x 900W mm 2 nos	PT-FFDT-135x90 FULL FABRIC C/W DOUBLE TRUNKING 1350H x 900W mm 1 no	PT-HGOT-135x90 HALF GLASS W/O TRUNKING 1350H x 900W mm 1 no
PT-FGOT-135x90 FULL GLASS W/O TRUNKING 1350H x 900W mm 3 nos	PT-CP135 CORNER POST 1350H mm 1 no	PT-JP135 JOINT POST 1350H mm 2 nos
PT-JP180 JOINT POST 1800H mm 4 nos	PT-EP135 END POST 1350H mm 1 no	PT-CUS-EP CUSTOMADE END POST 450H mm 2 nos
WK-HC90(SF) HANGING CABINET-FLIP DOOR TYPE WITH SOFT CLOSING 885W x 355D x 445H mm 2 nos	WK-M-EXEC-18(T) MCAB EXECUTIVE TABLE WITH LARGE FLIPER CASING 1600W x 450D x 760H mm 1 no	WK-M-16M-BD MCAB 1600W COMBINATION STORAGE SLIDING + HALF SWING 1600W x 450D x 760H mm 1 no

Reception Counter



Concept 1

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

Reception Counter
Concept 1

PT-FFCT-105x75 FULL FABRIC C/W CENTER TRUNKING 1050H x 750W mm 2 nos	PT-HGCT-120x75 HALF GLASS C/W CENTER TRUNKING 1200H x 750W mm 4 nos	PT-HGCT-120x45 HALF GLASS C/W CENTER TRUNKING 1200H x 450W mm 2 nos
PT-CP120 CORNER POST 1200H mm 2 nos	PT-JP105 JOINT POST 1050H mm 3 nos	PT-JP120 JOINT POST 1200H mm 2 nos
PT-EP120 END POST 1200H mm 2 nos	PT-CUS-EP END POST 150H mm 2 nos	WK-WT150x75 STRAIGHT WORKTOP IN FULLY LIGHT GREY 1500W x 750D x 25THK mm 1 no
WK-C150x30 COUNTER TOP IN FULLY LIGHT GREY 1500W x 300D x 25THK mm 1 no	WK-ML-M3D MOBILE 3 DRAWER 425W x 490D x 540H mm 2 nos	WK-ML-130-D2 SLIDING HALF HEIGHT CABINET 900W x 450D x 1300H mm 2 nos
WK-ML-130-D OPEN HALF HEIGHT 900W x 450D x 1300H mm 1 no	RD-02(L) TABLE LEG 1 no	RD-02(R) TABLE LEG 1 no
PT-BK-01-F LEFT BRACKET (BIG) 1 no	PT-BK-02-F RIGHT BRACKET (BIG) 1 no	PT-BK-03-F LEFT BRACKET (SMALL) 1 no
PT-BK-04-F RIGHT BRACKET (SMALL) 1 no	PT-BK-05-F COUNTER BRACKET (LEFT) 4 nos	PT-BK-06-F COUNTER BRACKET (RIGHT) 1 no

Reception Counter



Concept 2

Feature




Hanging Bookshelf
15kg- the mininum loadit can support.



Power Source
15kg- the mininum loadit can support.

Technical Specification



Link

Lorem ipsum

Reception Counter
Concept 2

PT-FFDT-120x120
FULL FABRIC C/W DOUBLE TRUNKING

1200H x 1200W mm
2 nos

PT-EP120
END POST
1200H mm
2 nos

PT-BK-06-F
COUNTER SUPPORT BRACKET (RIGHT)

90W x 75H mm
2 nos

WK-WT150x75
STRAIGHT WORKTOP
1500W x 300D x 25THK mm
1 no

WK-SL 75
SIDE SUPPORTING PANEL
720W x 735H mm
2 nos

WK-ML-76-D2
SLIDING DOOR CABINET
750W x 450D x 760H mm
2 nos

PT-FFDT-105x150
FULL FABRIC C/W DOUBLE TRUNKING

1050H x 1500W mm
1 no

PT-CUS-EP
END POST
150H mm
2 nos

WK-C-150-30
COUNTER TOP
1500W x 300D x 25THK mm
1 no

PT-BK-01-F
LEFT BRACKET (BIG)
387W x 167H mm
2 nos

WK-ML-130-D2
SLIDING HALF HEIGHT CABINET
900W x 450D x 1300H mm
4 nos

WK-ML-76-D1
SLIDING DOOR CABINET
750W x 450D x 760H mm
4 nos

PT-JP105
JOINT POST
1050H mm
3 nos

PT-BK-05-F
COUNTER SUPPORT BRACKET (LEFT)

90W x 75H mm
2 nos


WK-WT120x75
STRAIGHT WORKTOP
1200W x 300D x 25THK mm
2 nos

PT-BK-02-F
RIGHT BRACKET (BIG)
387W x 167H mm
2 nos


WK-ML-130-D2
SLIDING HALF HEIGHT CABINET
900W x 450D x 1300H mm
4 nos

WK-M-H3D
MCAB 3 DRAWER HIGH MOBILE
425W x 490D x 650H mm
4 nos



WIRE
MANAGEMENT




BRACKET



Bracket Position



PARTITION
SPECIFICATION



Style

End Post

PT-EP105	1050H mm
PT-EP120	1200H mm
PT-EP135	1350H mm
PT-EP150	1500H mm
PT-EP165	1650H mm
PT-EP180	1800H mm



Square Post

PT-SP105	1050H mm
PT-SP120	1200H mm
PT-SP135	1350H mm
PT-SP150	1500H mm
PT-SP165	1650H mm
PT-SP180	1800H mm



Tee Post

PT-TP105	1050H mm
PT-TP120	1200H mm
PT-TP135	1350H mm
PT-TP150	1500H mm
PT-TP165	1650H mm
PT-TP180	1800H mm



Corner Post

PT-CP105	1050H mm
PT-CP120	1200H mm
PT-CP135	1350H mm
PT-CP150	1500H mm
PT-CP165	1650H mm
PT-CP180	1800H mm



Joint Post

PT-JP105	1050H mm
PT-JP120	1200H mm
PT-JP135	1350H mm
PT-JP150	1500H mm
PT-JP165	1650H mm
PT-JP180	1800H mm



Stabilizer

PT-ST	300W x 50D mm
-------	---------------




Triangle Post

PT-TRP105	1050H mm
PT-TRP120	1200H mm
PT-TRP135	1350H mm
PT-TRP150	1500H mm
PT-TRP165	1650H mm
PT-TRP180	1800H mm



Model

Full Fabric without trunking (PT-FFOT)



Height - 1050mm

PT-FFOT - 105 x 45	1050H x 450W mm
PT-FFOT - 105 x 60	1050H x 600W mm
PT-FFOT - 105 x 75	1050H x 750W mm
PT-FFOT - 105 x 80	1050H x 800W mm
PT-FFOT - 105 x 90	1050H x 900W mm
PT-FFOT - 105 x 105	1050H x 1050W mm
PT-FFOT - 105 x 120	1050H x 1200W mm
PT-FFOT - 105 x 135	1050H x 1350W mm
PT-FFOT - 105 x 150	1050H x 1500W mm
PT-FFOT - 105 x 160	1050H x 1600W mm
PT-FFOT - 105 x 165	1050H x 1650W mm
PT-FFOT - 105 x 180	1050H x 1800W mm

Height - 1200mm

PT-FFOT - 120 x 45	1200H x 450W mm
PT-FFOT - 120 x 60	1200H x 600W mm
PT-FFOT - 120 x 75	1200H x 750W mm
PT-FFOT - 120 x 80	1200H x 800W mm
PT-FFOT - 120 x 90	1200H x 900W mm
PT-FFOT - 120 x 105	1200H x 1050W mm
PT-FFOT - 120 x 120	1200H x 1200W mm
PT-FFOT - 120 x 135	1200H x 1350W mm
PT-FFOT - 120 x 150	1200H x 1500W mm
PT-FFOT - 120 x 160	1200H x 1600W mm
PT-FFOT - 120 x 165	1200H x 1650W mm
PT-FFOT - 120 x 180	1200H x 1800W mm

Height - 1350mm

PT-FFOT - 135 x 45	1350H x 450W mm
PT-FFOT - 135 x 60	1350H x 600W mm
PT-FFOT - 135 x 75	1350H x 750W mm
PT-FFOT - 135 x 80	1350H x 800W mm
PT-FFOT - 135 x 90	1350H x 900W mm
PT-FFOT - 135 x 105	1350H x 1050W mm
PT-FFOT - 135 x 120	1350H x 1200W mm
PT-FFOT - 135 x 135	1350H x 1350W mm
PT-FFOT - 135 x 150	1350H x 1500W mm
PT-FFOT - 135 x 160	1350H x 1600W mm
PT-FFOT - 135 x 165	1350H x 1650W mm
PT-FFOT - 135 x 180	1350H x 1800W mm

Height - 1500mm

PT-FFOT - 150 x 45	1500H x 450W mm
PT-FFOT - 150 x 60	1500H x 600W mm
PT-FFOT - 150 x 75	1500H x 750W mm
PT-FFOT - 150 x 80	1500H x 800W mm
PT-FFOT - 150 x 90	1500H x 900W mm
PT-FFOT - 150 x 105	1500H x 1050W mm
PT-FFOT - 150 x 120	1500H x 1200W mm
PT-FFOT - 150 x 135	1500H x 1350W mm
PT-FFOT - 150 x 150	1500H x 1500W mm
PT-FFOT - 150 x 160	1500H x 1600W mm
PT-FFOT - 150 x 165	1500H x 1650W mm
PT-FFOT - 150 x 180	1500H x 1800W mm


Height - 1650mm

PT-FFOT - 165 x 45	1650H x 450W mm
PT-FFOT - 165 x 60	1650H x 600W mm
PT-FFOT - 165 x 75	1650H x 750W mm
PT-FFOT - 165 x 80	1650H x 800W mm
PT-FFOT - 165 x 90	1650H x 900W mm
PT-FFOT - 165 x 105	1650H x 1050W mm
PT-FFOT - 165 x 120	1650H x 1200W mm
PT-FFOT - 165 x 135	1650H x 1350W mm
PT-FFOT - 165 x 150	1650H x 1500W mm
PT-FFOT - 165 x 160	1650H x 1600W mm
PT-FFOT - 165 x 165	1650H x 1650W mm

Height - 1800mm

PT-FFOT - 180 x 45	1800H x 450W mm
PT-FFOT - 180 x 60	1800H x 600W mm
PT-FFOT - 180 x 75	1800H x 750W mm
PT-FFOT - 180 x 80	1800H x 800W mm
PT-FFOT - 180 x 90	1800H x 900W mm
PT-FFOT - 180 x 105	1800H x 1050W mm
PT-FFOT - 180 x 120	1800H x 1200W mm
PT-FFOT - 180 x 135	1800H x 1350W mm
PT-FFOT - 180 x 150	1800H x 1500W mm
PT-FFOT - 180 x 160	1800H x 1600W mm

Full Fabric c/w Centre Trunking (PT-FFCT)



Height - 1050mm

PT-FFCT - 105 x 45	1050H x 450W mm
PT-FFCT - 105 x 60	1050H x 600W mm
PT-FFCT - 105 x 75	1050H x 750W mm
PT-FFCT - 105 x 80	1050H x 800W mm
PT-FFCT - 105 x 90	1050H x 900W mm
PT-FFCT - 105 x 105	1050H x 1050W mm
PT-FFCT - 105 x 120	1050H x 1200W mm
PT-FFCT - 105 x 135	1050H x 1350W mm
PT-FFCT - 105 x 150	1050H x 1500W mm
PT-FFCT - 105 x 160	1050H x 1600W mm
PT-FFCT - 105 x 165	1050H x 1650W mm
PT-FFCT - 105 x 180	1050H x 1800W mm

Height - 1200mm

PT-FFCT - 120 x 45	1200H x 450W mm
PT-FFCT - 120 x 60	1200H x 600W mm
PT-FFCT - 120 x 75	1200H x 750W mm
PT-FFCT - 120 x 80	1200H x 800W mm
PT-FFCT - 120 x 90	1200H x 900W mm
PT-FFCT - 120 x 105	1200H x 1050W mm
PT-FFCT - 120 x 120	1200H x 1200W mm
PT-FFCT - 120 x 135	1200H x 1350W mm
PT-FFCT - 120 x 150	1200H x 1500W mm
PT-FFCT - 120 x 160	1200H x 1600W mm
PT-FFCT - 120 x 165	1200H x 1650W mm
PT-FFCT - 120 x 180	1200H x 1800W mm

Height - 1350mm

PT-FFCT - 135 x 45	1350H x 450W mm
PT-FFCT - 135 x 60	1350H x 600W mm
PT-FFCT - 135 x 75	1350H x 750W mm
PT-FFCT - 135 x 80	1350H x 800W mm
PT-FFCT - 135 x 90	1350H x 900W mm
PT-FFCT - 135 x 105	1350H x 1050W mm
PT-FFCT - 135 x 120	1350H x 1200W mm
PT-FFCT - 135 x 135	1350H x 1350W mm
PT-FFCT - 135 x 150	1350H x 1500W mm
PT-FFCT - 135 x 160	1350H x 1600W mm
PT-FFCT - 135 x 165	1350H x 1650W mm
PT-FFCT - 135 x 180	1350H x 1800W mm

Height - 1500mm

PT-FFCT - 150 x 45	1500H x 450W mm
PT-FFCT - 150 x 60	1500H x 600W mm
PT-FFCT - 150 x 75	1500H x 750W mm
PT-FFCT - 150 x 80	1500H x 800W mm
PT-FFCT - 150 x 90	1500H x 900W mm
PT-FFCT - 150 x 105	1500H x 1050W mm
PT-FFCT - 150 x 120	1500H x 1200W mm
PT-FFCT - 150 x 135	1500H x 1350W mm
PT-FFCT - 150 x 150	1500H x 1500W mm
PT-FFCT - 150 x 160	1500H x 1600W mm
PT-FFCT - 150 x 165	1500H x 1650W mm
PT-FFCT - 150 x 180	1500H x 1800W mm

Height - 1650mm

PT-FFCT - 165 x 45	1650H x 450W mm
PT-FFCT - 165 x 60	1650H x 600W mm
PT-FFCT - 165 x 75	1650H x 750W mm
PT-FFCT - 165 x 80	1650H x 800W mm
PT-FFCT - 165 x 90	1650H x 900W mm
PT-FFCT - 165 x 105	1650H x 1050W mm
PT-FFCT - 165 x 120	1650H x 1200W mm
PT-FFCT - 165 x 135	1650H x 1350W mm
PT-FFCT - 165 x 150	1650H x 1500W mm
PT-FFCT - 165 x 160	1650H x 1600W mm
PT-FFCT - 165 x 165	1650H x 1650W mm
PT-FFCT - 165 x 180	1650H x 1800W mm

Height - 1800mm

PT-FFCT - 180 x 45	1800H x 450W mm
PT-FFCT - 180 x 60	1800H x 600W mm
PT-FFCT - 180 x 75	1800H x 750W mm
PT-FFCT - 180 x 80	1800H x 800W mm
PT-FFCT - 180 x 90	1800H x 900W mm
PT-FFCT - 180 x 105	1800H x 1050W mm
PT-FFCT - 180 x 120	1800H x 1200W mm
PT-FFCT - 180 x 135	1800H x 1350W mm
PT-FFCT - 180 x 150	1800H x 1500W mm
PT-FFCT - 180 x 160	1800H x 1600W mm

A diagram of a rectangular panel. The width is labeled 'W' and the height is labeled 'H'. At the bottom right corner, there are two small vertical dimension lines: one labeled '120' and another labeled '18'.

Height - 1500mm		Height - 1650mm		Height - 1800mm	
PT-FFBT - 150 x 45	1500H x 450W mm	PT-FFBT - 165 x 45	1650H x 450W mm	PT-FFBT - 180 x 45	1800H x 450W mm
PT-FFBT - 150 x 60	1500H x 600W mm	PT-FFBT - 165 x 60	1650H x 600W mm	PT-FFBT - 180 x 60	1800H x 600W mm
PT-FFBT - 150 x 75	1500H x 750W mm	PT-FFBT - 165 x 75	1650H x 750W mm	PT-FFBT - 180 x 75	1800H x 750W mm
PT-FFBT - 150 x 80	1500H x 800W mm	PT-FFBT - 165 x 80	1650H x 800W mm	PT-FFBT - 180 x 80	1800H x 800W mm
PT-FFBT - 150 x 90	1500H x 900W mm	PT-FFBT - 165 x 90	1650H x 900W mm	PT-FFBT - 180 x 90	1800H x 900W mm
PT-FFBT - 150 x 105	1500H x 1050W mm	PT-FFBT - 165 x 105	1650H x 1050W mm	PT-FFBT - 180 x 105	1800H x 1050W mm
PT-FFBT - 150 x 120	1500H x 1200W mm	PT-FFBT - 165 x 120	1650H x 1200W mm	PT-FFBT - 180 x 120	1800H x 1200W mm
PT-FFBT - 150 x 135	1500H x 1350W mm	PT-FFBT - 165 x 135	1650H x 1350W mm	PT-FFBT - 180 x 135	1800H x 1350W mm
PT-FFBT - 150 x 150	1500H x 1500W mm	PT-FFBT - 165 x 150	1650H x 1500W mm	PT-FFBT - 180 x 150	1800H x 1500W mm
PT-FFBT - 150 x 160	1500H x 1600W mm	PT-FFBT - 165 x 160	1650H x 1600W mm	PT-FFBT - 180 x 160	1800H x 1600W mm
PT-FFBT - 150 x 165	1500H x 1650W mm	PT-FFBT - 165 x 165	1650H x 1650W mm		
PT-FFBT - 150 x 180	1500H x 1800W mm	PT-FFBT - 165 x 180	1650H x 1800W mm		

Height - 1500mm		Height - 1650mm		Height - 1800mm	
PT-FFDT - 150 x 45	1500H x 450W mm	PT-FFDT - 165 x 45	1650H x 450W mm	PT-FFDT - 180 x 45	1800H x 450W mm
PT-FFDT - 150 x 60	1500H x 600W mm	PT-FFDT - 165 x 60	1650H x 600W mm	PT-FFDT - 180 x 60	1800H x 600W mm
PT-FFDT - 150 x 75	1500H x 750W mm	PT-FFDT - 165 x 75	1650H x 750W mm	PT-FFDT - 180 x 75	1800H x 750W mm
PT-FFDT - 150 x 80	1500H x 800W mm	PT-FFDT - 165 x 80	1650H x 800W mm	PT-FFDT - 180 x 80	1800H x 800W mm
PT-FFDT - 150 x 90	1500H x 900W mm	PT-FFDT - 165 x 90	1650H x 900W mm	PT-FFDT - 180 x 90	1800H x 900W mm
PT-FFDT - 150 x 105	1500H x 1050W mm	PT-FFDT - 165 x 105	1650H x 1050W mm	PT-FFDT - 180 x 105	1800H x 1050W mm
PT-FFDT - 150 x 120	1500H x 1200W mm	PT-FFDT - 165 x 120	1650H x 1200W mm	PT-FFDT - 180 x 120	1800H x 1200W mm
PT-FFDT - 150 x 135	1500H x 1350W mm	PT-FFDT - 165 x 135	1650H x 1350W mm	PT-FFDT - 180 x 135	1800H x 1350W mm
PT-FFDT - 150 x 150	1500H x 1500W mm	PT-FFDT - 165 x 150	1650H x 1500W mm	PT-FFDT - 180 x 150	1800H x 1500W mm
PT-FFDT - 150 x 160	1500H x 1600W mm	PT-FFDT - 165 x 160	1650H x 1600W mm	PT-FFDT - 180 x 160	1800H x 1600W mm
PT-FFDT - 150 x 165	1500H x 1650W mm	PT-FFDT - 165 x 165	1650H x 1650W mm		
PT-FFDT - 150 x 180	1500H x 1800W mm	PT-FFDT - 165 x 180	1650H x 1800W mm		

A diagram of a rectangular cabinet. The width is labeled W , the height is labeled H , and the depth is labeled 18 .

Height - 1650mm	Height - 1800mm
PT-HGOT - 165 x 45 1650H x 450W mm	PT-HGOT - 180 x 45 1800H x 450W mm
PT-HGOT - 165 x 60 1650H x 600W mm	PT-HGOT - 180 x 60 1800H x 600W mm
PT-HGOT - 165 x 75 1650H x 750W mm	PT-HGOT - 180 x 75 1800H x 750W mm
PT-HGOT - 165 x 80 1650H x 800W mm	PT-HGOT - 180 x 80 1800H x 800W mm
PT-HGOT - 165 x 90 1650H x 900W mm	PT-HGOT - 180 x 90 1800H x 900W mm
PT-HGOT - 165 x 105 1650H x 1050W mm	PT-HGOT - 180 x 105 1800H x 1050W mm
PT-HGOT - 165 x 120 1650H x 1200W mm	PT-HGOT - 180 x 120 1800H x 1200W mm
PT-HGOT - 165 x 135 1650H x 1350W mm	
PT-HGOT - 165 x 150 1650H x 1500W mm	
PT-HGOT - 165 x 160 1650H x 1600W mm	

Height - 1650mm		Height - 1800mm	
PT-HGCT - 165 x 45	1650H x 450W mm	PT-HGCT - 180 x 45	1800H x 450W mm
PT-HGCT - 165 x 60	1650H x 600W mm	PT-HGCT - 180 x 60	1800H x 600W mm
PT-HGCT - 165 x 75	1650H x 750W mm	PT-HGCT - 180 x 75	1800H x 750W mm
PT-HGCT - 165 x 80	1650H x 800W mm	PT-HGCT - 180 x 80	1800H x 800W mm
PT-HGCT - 165 x 90	1650H x 900W mm	PT-HGCT - 180 x 90	1800H x 900W mm
PT-HGCT - 165 x 105	1650H x 1050W mm	PT-HGCT - 180 x 105	1800H x 1050W mm
PT-HGCT - 165 x 120	1650H x 1200W mm	PT-HGCT - 180 x 120	1800H x 1200W mm
PT-HGCT - 165 x 135	1650H x 1350W mm		
PT-HGCT - 165 x 150	1650H x 1500W mm		
PT-HGCT - 165 x 160	1650H x 1600W mm		

Technical drawing of a vertical rectangular unit. The drawing shows a front view with a white upper section and a grey lower section. Dimensions are indicated: W (width), H (height), 815 (height of the grey section), 120 (height of the base), and 18 (width of the base).

Height - 1650mm	Height - 1800mm
PT-HGBT - 165 x 45	PT-HGBT - 180 x 45
PT-HGBT - 165 x 60	PT-HGBT - 180 x 60
PT-HGBT - 165 x 75	PT-HGBT - 180 x 75
PT-HGBT - 165 x 80	PT-HGBT - 180 x 80
PT-HGBT - 165 x 90	PT-HGBT - 180 x 90
PT-HGBT - 165 x 105	PT-HGBT - 180 x 105
PT-HGBT - 165 x 120	PT-HGBT - 180 x 120
PT-HGBT - 165 x 135	
PT-HGBT - 165 x 150	
PT-HGBT - 165 x 160	

Height - 1650mm		Height - 1800mm	
PT-HGDT - 165 x 45	1650H x 450W mm	PT-HGDT - 180 x 45	1800H x 450W mm
PT-HGDT - 165 x 60	1650H x 600W mm	PT-HGDT - 180 x 60	1800H x 600W mm
PT-HGDT - 165 x 75	1650H x 750W mm	PT-HGDT - 180 x 75	1800H x 750W mm
PT-HGDT - 165 x 80	1650H x 800W mm	PT-HGDT - 180 x 80	1800H x 800W mm
PT-HGDT - 165 x 90	1650H x 900W mm	PT-HGDT - 180 x 90	1800H x 900W mm
PT-HGDT - 165 x 105	1650H x 1050W mm	PT-HGDT - 180 x 105	1800H x 1050W mm
PT-HGDT - 165 x 120	1650H x 1200W mm	PT-HGDT - 180 x 120	1800H x 1200W mm
PT-HGDT - 165 x 135	1650H x 1350W mm		
PT-HGDT - 165 x 150	1650H x 1500W mm		
PT-HGDT - 165 x 160	1650H x 1600W mm		

Height - 1650mm		Height - 1800mm	
PT-FGOT - 165 x 45	1050H x 450W mm	PT-FGOT - 180 x 45	1050H x 450W mm
PT-FGOT - 165 x 60	1050H x 600W mm	PT-FGOT - 180 x 60	1050H x 600W mm
PT-FGOT - 165 x 75	1050H x 750W mm	PT-FGOT - 180 x 75	1050H x 750W mm
PT-FGOT - 165 x 80	1050H x 800W mm	PT-FGOT - 180 x 80	1050H x 800W mm
PT-FGOT - 165 x 90	1050H x 900W mm	PT-FGOT - 180 x 90	1050H x 900W mm
PT-FGOT - 165 x 105	1050H x 1050W mm	PT-FGOT - 180 x 105	1050H x 1050W mm
PT-FGOT - 165 x 120	1050H x 1200W mm	PT-FGOT - 180 x 120	1050H x 1200W mm

A diagram of a rectangular panel, likely a door or window, with a double-paned glass design. The width is labeled 'W' and the height is labeled 'H'. A dimension of 120/16 is indicated at the bottom right corner.

Height - 1650mm		Height - 1800mm	
PT-FGBT - 165 x 45	1050H x 450W mm	PT-FGBT - 180 x 45	1050H x 450W mm
PT-FGBT - 165 x 60	1050H x 600W mm	PT-FGBT - 180 x 60	1050H x 600W mm
PT-FGBT - 165 x 75	1050H x 750W mm	PT-FGBT - 180 x 75	1050H x 750W mm
PT-FGBT - 165 x 80	1050H x 800W mm	PT-FGBT - 180 x 80	1050H x 800W mm
PT-FGBT - 165 x 90	1050H x 900W mm	PT-FGBT - 180 x 90	1050H x 900W mm
PT-FGBT - 165 x 105	1050H x 1050W mm	PT-FGBT - 180 x 105	1050H x 1050W mm
PT-FGBT - 165 x 120	1050H x 1200W mm	PT-FGBT - 180 x 120	1050H x 1200W mm


Height - 1500mm	
PT-CFF - 150 x 60	1050H x 600W mm
PT-CFF - 150 x 75	1050H x 750W mm

Curve Half Perspex
(PT-CHP)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-CHP - 120 x 60	1050H x 600W mm	PT-CHP - 135 x 60	1050H x 600W mm	PT-CHP - 150 x 60	1050H x 600W mm
PT-CHP - 120 x 75	1050H x 750W mm	PT-CHP - 135 x 75	1050H x 750W mm	PT-CHP - 150 x 75	1050H x 750W mm

Curve Full Perspex
(PT-CFP)



Height - 1200mm		Height - 1350mm		Height - 1500mm	
PT-CFP - 120 x 60	1050H x 600W mm	PT-CFP - 135 x 60	1050H x 600W mm	PT-CFP - 150 x 60	1050H x 600W mm
PT-CFP - 120 x 75	1050H x 750W mm	PT-CFP - 135 x 75	1050H x 750W mm	PT-CFP - 150 x 75	1050H x 750W mm


Table Top

Straight Worktop




WK-WT - 60 x 45	600H x 450W x 25THK mm	WK-WT - 165 x 60	1650H x 600W x 25THK mm
WK-WT - 75 x 45	750H x 450W x 25THK mm	WK-WT - 180 x 60	1800H x 600W x 25THK mm
WK-WT - 90 x 45	900H x 450W x 25THK mm	WK-WT - 60 x 75	600H x 750W x 25THK mm
WK-WT - 105 x 45	1050H x 450W x 25THK mm	WK-WT - 75 x 75	750H x 750W x 25THK mm
WK-WT - 120 x 45	1200H x 450W x 25THK mm	WK-WT - 90 x 75	900H x 750W x 25THK mm
WK-WT - 60 x 60	600H x 600W x 25THK mm	WK-WT - 105 x 75	1050H x 750W x 25THK mm
WK-WT - 75 x 60	750H x 600W x 25THK mm	WK-WT - 120 x 75	1200H x 750W x 25THK mm
WK-WT - 90 x 60	900H x 600W x 25THK mm	WK-WT - 135 x 75	1350H x 750W x 25THK mm
WK-WT - 105 x 60	1050H x 600W x 25THK mm	WK-WT - 150 x 75	1500H x 750W x 25THK mm
WK-WT - 120 x 60	1200H x 600W x 25THK mm	WK-WT - 165 x 75	1650H x 750W x 25THK mm
WK-WT - 135 x 60	1350H x 600W x 25THK mm	WK-WT - 180 x 75	1800H x 750W x 25THK mm
WK-WT - 150 x 60	1500H x 600W x 25THK mm		

Curve Corner Worktop




WK-CCW - 150 x 60	1500W/600D x 1500W/600D x 25THK mm
WK-CCW - 165 x 60	1650W/600D x 1650W/600D x 25THK mm
WK-CCW - 150 x 75	1500W/750D x 1500W/750D x 25THK mm
WK-CCW - 165 x 75	1650W/750D x 1650W/750D x 25THK mm

Curve Corner Top
(Left)



WK-CC - 120 x 60 (L)	1200W/600D x 1200W/600D x 25THK mm
WK-CC - 150 x 60 (L)	1500W/600D x 1500W/600D x 25THK mm
WK-CC - 180 x 60 (L)	1800W/600D x 1800W/600D x 25THK mm
WK-CC - 120 x 75 (L)	1200W/750D x 1200W/750D x 25THK mm
WK-CC - 150 x 75 (L)	1500W/750D x 1500W/750D x 25THK mm
WK-CC - 180 x 75 (L)	1800W/750D x 1800W/750D x 25THK mm

Curve Corner Top
(Right)




WK-CC - 120 x 60 (R)	1200W/600D x 1200W/600D x 25THK mm
WK-CC - 150 x 60 (R)	1500W/600D x 1500W/600D x 25THK mm
WK-CC - 180 x 60 (R)	1800W/600D x 1800W/600D x 25THK mm
WK-CC - 120 x 75 (R)	1200W/750D x 1200W/750D x 25THK mm
WK-CC - 150 x 75 (R)	1500W/750D x 1500W/750D x 25THK mm
WK-CC - 180 x 75 (R)	1800W/750D x 1800W/750D x 25THK mm

Round End Top




WK-RET - 120 x 60	1200W x 600D x 25THK mm
WK-RET - 150 x 60	1500W x 600D x 25THK mm
WK-RET - 180 x 60	1800W x 600D x 25THK mm
WK-RET - 120 x 75	1200W x 750D x 25THK mm
WK-RET - 150 x 75	1500W x 750D x 25THK mm
WK-RET - 180 x 75	1800W x 750D x 25THK mm

Counter Worktop (Left)



WK-CW - 120 x 60 (L)	1200W x 600D x 25THK mm
WK-CW - 150 x 60 (L)	1500W x 600D x 25THK mm
WK-CW - 180 x 60 (L)	1800W x 600D x 25THK mm
WK-CW - 120 x 75 (L)	1200W x 750D x 25THK mm
WK-CW - 150 x 75 (L)	1500W x 750D x 25THK mm
WK-CW - 180 x 75 (L)	1800W x 750D x 25THK mm

Counter Worktop (Right)



WK-CW - 120 x 60 (R)	1200W x 600D x 25THK mm
WK-CW - 150 x 60 (R)	1500W x 600D x 25THK mm
WK-CW - 180 x 60 (R)	1800W x 600D x 25THK mm
WK-CW - 120 x 75 (R)	1200W x 750D x 25THK mm
WK-CW - 150 x 75 (R)	1500W x 750D x 25THK mm
WK-CW - 180 x 75 (R)	1800W x 750D x 25THK mm

Round Extension Top (Left)



WK-RXT - 60 (L)	750W x 600D x 25THK mm
WK-RXT - 75 (L)	900W x 750D x 25THK mm

Round Extension Top (Right)



WK-RXT - 60 (R)	750W x 600D x 25THK mm
WK-RXT - 75 (R)	900W x 750D x 25THK mm

Connection Worktop




WK-CNW - 60	600W x 600D x 25THK mm
WK-CNW - 75	750W x 750D x 25THK mm

Connection Worktop



WK-HRT - 95	475W x 950D x 25THK mm
WK-HRT -125	625W x 1250D x 25THK mm
WK-HRT - 155	775W x 15550D x 25THK mm

Semi-Oval Worktop




WK-SOW - 180 x 60	1800W x 600D x 25THK mm
WK-SOW - 210 x 60	2100W x 600D x 25THK mm
WK-SOW - 240 x 60	2400W x 600D x 25THK mm
WK-SOW - 210 x 75	2100W x 750D x 25THK mm
WK-SOW - 240 x 75	2400W x 750D x 25THK mm

120°Hexagon Worktop




WK-HWT	330W x 25THK mm
--------	-----------------

Corner Worktop




WK-CWT - 90 x 45	900W/450D x 900W/450D x 25THK mm
WK-CWT - 90 x 60	900W/600D x 900W/600D x 25THK mm
WK-CWT - 90 x 75	900W/750D x 900W/750D x 25THK mm
WK-CWT - 105 x 45	1050W/450D x 1050W/450D x 25THK mm
WK-CWT - 105 x 60	1050W/600D x 1050W/600D x 25THK mm
WK-CWT - 105 x 75	1050W/750D x 1050W/750D x 25THK mm
WK-CWT - 120 x 60	1200W/750D x 1200W/750D x 25THK mm
WK-CWT - 120 x 75	1200W/750D x 1200W/750D x 25THK mm

Counter Top



WK-C - 45 x 30	450W x 300D x 25THK mm
WK-C - 60 x 30	600W x 300D x 25THK mm
WK-C - 75 x 30	750W x 300D x 25THK mm
WK-C - 90 x 30	900W x 300D x 25THK mm
WK-C - 120 x 30	1200W x 300D x 25THK mm
WK-C - 150 x 30	1500W x 300D x 25THK mm
WK-C - 180 x 30	1800W x 300D x 25THK mm

Trapezium Worktop



WK-TWT	1072W/660D x 330L/7660D x 25THK mm
--------	------------------------------------

Accessories

Hanging Cabinet - Flip Door Type



WK-HC 60	585W x 355D x 445H mm
WK-HC 75	735W x 355D x 445H mm
WK-HC 80	785W x 355D x 445H mm
WK-HC 90	885W x 355D x 445H mm
WK-HC 105	1035W x 355D x 445H mm
WK-HC 120	1185W x 355D x 445H mm

Hanging Cabinet - Flip Door Type with Soft Closing



WK-HC 60 (SF)	585W x 355D x 445H mm
WK-HC 75 (SF)	735W x 355D x 445H mm
WK-HC 80 (SF)	785W x 355D x 445H mm
WK-HC 90 (SF)	885W x 355D x 445H mm
WK-HC 105 (SF)	1035W x 355D x 445H mm
WK-HC 120 (SF)	1185W x 355D x 445H mm

Hanging Bookshelf



WK-HB 60	585W x 355D x 445H mm
WK-HB 75	735W x 355D x 445H mm
WK-HB 80	785W x 355D x 445H mm
WK-HB 90	885W x 355D x 445H mm
WK-HB 105	1035W x 355D x 445H mm

Side Supporting panel



WK-SL 45	420W x 735H mm
WK-SL 60	570W x 735H mm
WK-SL 75	720W x 735H mm

Cantilever Leg



PT-CT 45	450W x 735H mm
PT-CT 60	600W x 735H mm
PT-CT 75	750W x 735H mm

Tubular Stand



RD-ETS
50W x 50D x 735H mm

Tubular Stand



RD-TS
75W x 75D x 735H mm

RD-02 (L) RD-02 (R)



600W x 62D x 735H mm

RD-05



600W x 70D x 735H mm

RD-06



600W x 70D x 735H mm

RD-09 (L) RD-09 (R)



600W x 62D x 735H mm

RD-10



600W x 70D x 735H mm

RD-11



600W x 70D x 735H mm

APEX Office Furniture Exporter Sdn. Bhd. (591294-V)

728 & 730 Batu 4 ½ Jalan Ipoh,

51200 Kuala Lumpur,

Malaysia.

T +603-9779 7880

sales@apexof.com.my