

Sunón

European R&D Center

Add: Brunnenstrasse 156, 10115 Berlin, Germany

Sunon Mexico Manufacturing Base & Experience Center

Add: Calle Palomas No. 201, Parque Industrial Hofusan, Salinas Victoria, Nuevo León CP 65500

USA Branch & Experience Center

Add: 525 Technology Drive Suite 150 Irvine, CA.92618

Singapore Branch & Experience Center

Add: #01-02 R Building, 18 Robinson Road, Singapore 048547

India Branch & Experience Center

Add: Floor I & II, 643, Rd Number 36, Aditya Enclave, Venkatagiri, Jubilee Hills, Hyderabad, Telangana 500033, India

Headquarters & Experience Center
- Sunon Technological Innovation Park

Add: No.1666 Zhixing Road, Xiaoshan District, Hangzhou, Zhejiang, China

    @sunonfurniture

www.sunonglobal.com

info@isunon.com



Sunón



VERDURE

3C space makes you work happily

As working demands evolves, workers have higher expectations for their ideal office. Highlighting 45-degree aesthetics, Verdure centers around 3C (Concentration, Cooperation, Common) spaces. Many modules can be united freely to meet your personalized needs.






01

Concentration WORKSPACE

Verdure's task-oriented space created by partitions allows you to focus on your work, optimizing your creativity and performance.

Focus






3 -side enclosed privacy

Enclosed by panels from 3 sides, this workstation effectively shields you from noises and create a high-performing hub.



Aluminum frame 铝框屏

Typical square shape leg makes it look well-organized.





SIT TO STAND

Intelligent sit-to-stand makes you work healthily and happily.



750-1210mm adjustable range allows you to find the most comfortable desk height. Electromotor and 4-level memory bring excellent using experience.




Storing accessories allow for
easy and elegant decluttering.
And sound-absorbing screens
let you focus on your work.

A PERFECT MATCH




Aluminum frame 铝制屏


Mix and match
Different shapes of connectors add to Verdure's combination possibilities for use in any environment requiring boundaries.




90° thick and thin panel connection



90° thick panels connection



120° thick panels connection





02 Cooperation WORKSPACE

As Generation Z enters the laboring market, workspaces become more diverse and open-minded. Verdure's cooperation model helps to add an element of sophistication, and creates a beacon for cooperation.

Team







Steel frame 钢框屏

Healthy

Flexible

Relaxing

Human-centered cabinet

The cabinet bed allows for easy transformation from a comfortable fold-out mattress to an attractive 57-cm-wide cabinet.

FRAME



The shelf panels designed for steel-frame screen can be hung directly to the recessed area without additional accessories and easily holds up to 5kg. Narrow front wide back design enhances its stability.



For face-to-face communication, just turn around.
Verdure encourages regular movement and condenses
your real estate footprint through a streamlined design.



Refined aluminum frame together with translucent glass strikes a balance between openness and privacy.






120-degree wide-open layout allows discussions to unwind smoothly.

COOPERATION WORKSPACE



Stay connected

Verdure offers a movable and enjoyable way to divide space, make a backdrop, or exchange ideas.





Pneumatic lift table is energy-saving and eco-friendly; 750 to 1120mm height adjustable table supports the wellbeing of workers in any health-conscious work environment.



1+N for higher productivity

Employee seat connected to employee seat facilitates information flow inside the company while many color, height and material options of screen expands the possibilities for varied, easy-to-change work settings.




COOPERATION WORKSPACE



Flexible storage at hand

Pencil vase, file holder, pegboard... multifunctional accessories give employees quick access to important trinkets and conceal less-used items.





03

Common WORKSPACE

Verdure's sharing model offers a rich of workplace solutions that can satisfy the flexible working requirements of modern offices.

Shared




Together we grow

Verdure expands the possibilities for common workstations with inviting surfaces and flexible storage.





Push-pull door panel of cabinet brings much convenience.



The locker is configured with airing holes and mirrors. The indented shelf panel allows different shoes to fit into the lower space.

Flexible storage at hand

7 color options can easily brighten up any room. And soft cushions make them double as movable seating.



Storage that evolves

Open-style side cabinet, cabinet with door, 3-drawer cabinet and end cabinet can be matched up freely.

For wood cabinet's top panel, 10+ wood grains optional



For steel cabinet's top panel, matte white/meteor gray optional



Open-style side cabinet

Side cabinet

Three-drawer cabinet


Bedside cabinet

Aluminum-frame screen

At an attainable price

Steel-frame screen

A yardstick of quality



Panel

Interior cabling inside the panel

Integrated socket

Panel

On-desk outlet

Under-desk outlet

Wiring channel and wiring inlet

Skirting outlet

Wiring inlet

Skirting outlet

On-desk outlet

Under-desk outlet

Outlet 200mm above the ground

Product Specifications

Universal Cabinet(wood)



DPG20-2.040047B
W400•D470•H635(mm)



DPG21-2.040047B
W400•D470•H533(mm)



DPG22-2.040047M
W400•D470•H583(mm)



DPG23R/L-2.100045
W1000•D450•H585(mm)



DPG23R/L-2.100045ZD
W1000•D450•H585(mm)
DFJ03.070045
W700•D450•H50(mm)



DPG26-2.074049/2.079049
W744/794•D497•H725(mm)
DPG26-2.089049/2.099049
W894/994•D497•H725(mm)



DPG24-2.039049/59/69
W394•D497•H725(mm)
W394•D597•H725(mm)
W394•D697•H725(mm)



DPG25-2.039059/69
W394•D597•H725(mm)
W394•D697•H725(mm)



DPG90R/L-2.060114/134
DPG90R/L-2.070114/134
W300•D600•H1142/1344(mm)
W300•D702•H1142/1344(mm)



DPG91-2.060114/134
DPG91-2.070114/134
W600•D602•H1142/1344(mm)
W600•D702•H1142/1344(mm)



DPG92R/L-2.060114/134
DPG92R/L-2.070114/134
W400•D602•H1142/1344(mm)
W400•D702•H1142/1344(mm)

Steelbox II Cabinet



GC23-2.039059
W390•D599•H725(mm)



GC25-2.039052/K
W390•D523•H445(mm)



GC24-2.039052
W390•D523•H567(mm)



GC22R-2.100045/K
W1000•D450•H632(mm)



GC26-2.069036
W700•D356•H400(mm)



GC21-2.070050
W730•D500•H725(mm)



GC34-2.075045
W744•D497•H725(mm)
W794•D497•H725(mm)
W894•D497•H725(mm)
W994•D497•H725(mm)



GFJ01.039052/02.070045
W390•D523•H50(mm)
W700•D450•H50(mm)



GC20L-2.060115/135
W300•D600•H1142/1344(mm)
GC20L-2.070115/135
W300•D700•H1142/1344(mm)



GC20R-2.060115/135
W300•D600•H1142/1344(mm)
GC20R-2.070115/135
W300•D700•H1142/1344(mm)

Universal Cabinet(steel)



GC21-2.070050
W700•D500•H638(mm)



GC28R/L-2.040050
W400•D500•H638(mm)



GC29R/L-2.080050
W800•D500•H638(mm)



GC30R/L-2.070050
W700•D500•H638(mm)



GC30R/L-2.080050
W800•D500•H638(mm)



GC30R/L-2.100050
W1000•D500•H638(mm)



GC31R/L-2.090050
W900•D500•H638(mm)



GC39R/L-2.110050
W1100•D500•H638(mm)



GC40R/L-2.130050
W1300•D500•H638(mm)



GC41R/L-2.150050
W1500•D500•H638(mm)

Product Specifications



GFJ10L-2.007090
W70•D34•H90(mm)



GFJ10R/L-2.010017
W106.5•D41.5•H173.2(mm)



GFJ10R-2.007090
W70•D34•H90(mm)



GFJ10R-2.2.010017
W106.5•D41.5•H173.2(mm)

Steel Top Panel



GFJ06L.140050
W1402•D500•H12(mm)
GFJ06L.150050
W1502•D500•H12(mm)
GFJ06L.170050
W1702•D500•H12(mm)



GFJ06R.140050
W1402•D500•H12(mm)
GFJ06R.150050
W1502•D500•H12(mm)
GFJ06R.170050
W1702•D500•H12(mm)



GFJ07.080050
W802•D500•H12(mm)
GFJ07.090050
W902•D500•H12(mm)
GFJ07.110050
W1102•D500•H12(mm)
GFJ07.130050
W1302•D500•H12(mm)
GFJ07.140050
W1402•D500•H12(mm)
GFJ07.150050
W1502•D500•H12(mm)
GFJ07.170050
W1702•D500•H12(mm)
GFJ07.180050
W1802•D500•H12(mm)



GFJ08L.130050
W1302•D500•H12(mm)



GFJ08R.130050
W1302•D500•H12(mm)

Wood Top Panel



GFJ06L.140050M
W1402•D500•H12(mm)
GFJ06L.150050M
W1502•D500•H12(mm)
GFJ06L.170050M
W1702•D500•H12(mm)
GFJ06L.190050M



GFJ06R.140050M
W1402•D500•H12(mm)
GFJ06R.150050M
W1502•D500•H12(mm)
GFJ06R.170050M
W1702•D500•H12(mm)
GFJ06R.190050M




GFJ07.080050M
W802•D500•H12(mm)
GFJ07.090050M
W902•D500•H12(mm)
GFJ07.110050M
W1102•D500•H12(mm)
GFJ07.130050M
W1302•D500•H12(mm)
GFJ07.140050M
W1402•D500•H12(mm)
GFJ07.150050M
W1502•D500•H12(mm)
GFJ07.170050M
W1702•D500•H12(mm)
GFJ07.180050M
W1802•D500•H12(mm)



GFJ09.076050
W760•D500•H25(mm)
GFJ09.086050
W860•D500•H25(mm)

Product Specifications

Accessory

				
PVDASDGN W526•D350•H77(mm)	PVDASDDB W526•D350•H24.5(mm)	PVDASBB W400•D310•H17.5(mm)	PVDAXT W70•D70•H12(mm)	PVDASWJT W350•D233•H45(mm)
				
PVDASDT/A W180•D73.5•H30(mm)	PVDASMP W200•D75•H12.5(mm)	PVDASCX W20•D20•H10(mm)	PVDASBT/A W70•D73.5•H82(mm)	PVDASGG W95•D40•H35(mm)
				
DPG28-2.060035 DPG28-2.070035 DPG28-2.080035 DPG28-2.090035 W600•D350•H400(mm) W700•D350•H400(mm) W800•D350•H400(mm) W900•D350•H400(mm)	DPG28.060035B DPG28.070035B DPG28.080035B DPG28.090035B W600•D350•H400(mm) W700•D350•H400(mm) W800•D350•H400(mm) W900•D350•H400(mm)	DPG30-2.060030 DPG30-2.070030 DPG30-2.080030 DPG30-2.090030 W600•D350•H400(mm) W700•D350•H400(mm) W800•D350•H400(mm) W900•D350•H400(mm)	DFG06.050/060/070/080/090/100/120/140/150/160/180/200FDB W500•D300•H25mm) W600•D300•H25(mm) W700•D300•H25(mm) W800•D300•H25(mm) W900•D300•H25(mm) W1000•D300•H25(mm) W1200•D300•H25(mm) W1400•D300•H25(mm) W1500•D300•H25(mm) W1600•D300•H25(mm) W1800•D300•H25(mm) W2000•D300•H25(mm)	

Product Specifications

Recommended Layouts

				
I-shape 8-seat Workstation A	I-shape 6-seat Lift Workstation	C-shape 2-seat Lift Workstation	C-shape 2-seat Workstation	T-shape 2-seat Lift Workstation
				
L-shape 1-seat Workstation				
				
L-shape 3-seat Workstation	L-shape 4-seat Workstation	3 × N Workstation	Executive Seat	L-shape 4-seat Workstation + Executive Seat
				
4-seat H-shape Workstation (with panel)	4-seat H-shape Workstation A	4-seat H-shape Workstation B	4-seat H-shape Workstation C	4-seat H-shape Workstation D
				
Linear Workstation for Negotiation A	I-shape 6-seat Workstation A	“EE”-shape Workstation	Linear Workstation	M-shape Workstation
				
Reception Desk				


Material

Aluminum-frame Screen

TM-CI



P-BL



P-BY



P-TM



Steel-frame screen

TM-CI



Material

Fireproof Veneer

Main Promotion Color



Optional Color

